



Health Watch USAsm Newsletter

<https://www.healthwatchusa.org> Jan. 1, 20256

Designated "Community Leader" for Value-Driven Healthcare
by the U.S. Dept. of Health and Human Services

Activity for the Month of Dec. Health Watch USAsm:

- 1 Continuing Education Course.
- 1 OpEd
- 1 Comment
- 2025 HW USA [Conference Videos are Available](#).
- 2024 HW USA [Conference Videos are Available](#)

Health Watch USAsm Nov. 1st, 2023 Conference Presentation Videos & Proceedings: Long COVID's Impact on Patients, Workers & Society: <https://www.healthwatchusa.org/conference2023/index.html>

Health Watch USAsm Activities Reports: [2020](#) [2021](#) [2022](#) [2023](#) [2024](#)

COMBATING INFECTIOUS DISEASE CHALLENGES Have we gone twenty steps forward or backwards?

Health Watch USA's 2026 Public Health Continuing Medical Education

International speakers from New Zealand, Australia & Singapore.

Course Objectives:

1. Discuss the dangers imposed by four infectious pathogens, SARS-CoV-2, measles, H5N1, and antibiotic-resistant bacteria.
2. Identify preventative strategies to prevent the spread of airborne pathogens.
3. To better educate patients regarding misinformation surrounding vaccinations, in order to reduce patient infections and promote public safety.
4. Identify the role of bacteriophages in treating antibiotic resistant bacteria.



The course is currently available at <https://healthconference.org> and [Combating Infectious Disease Course - Health Watch USA](#)

This activity has been planned and implemented in accordance with the accreditation requirements and policies of the Accreditation Council for Continuing Medical Education (ACCME) through the Joint Providership of the Kentucky Medical Association and Healthwatch USA. The Kentucky Medical Association is accredited by the ACCME to provide continuing medical education for physicians. The Kentucky Medical Association designates this enduring material activity for 4.5 AMA PRA Category 1 credits.™ Physicians should claim only the credit commensurate with the extent of their participation in the activity.

Health Watch USAsm Newsletter Table of Contents



1. Articles & Commentaries

- FDA's ridiculous claims about COVID vaccines hurt KY kids
- COVID-19 Vaccination Reducing All-Cause Mortality is Plausible and Expected

2. Health Watch USAsm Meeting Presentation. Jan. 21, 2026. 7 PM

Anthony J Leonardi, MBBS, PhD --- Immunodysfunction from COVID-19 – History, Etiology, Presentations, and Prognosis

3. Articles of Interest

4. 2025 Webinar Presentations

- [Webinar introduction & science behind masking, Kevin T. Kavanagh, MD, MS](#)
- [Communications and pandemic mitigation strategies—Health Watch USA 2025, William Schaffner, MD](#)
- [Measles 50 Years Later, Wilmore Webley, PhD](#)
- [A View from the Frontlines: The Current State of Infection Control in U.S. Healthcare Facilities, Lisa Baum, MA](#)
- [Bacterial Phages, a New and Old Treatment for Antibiotic Resistant Bacteria, Deborah Birx, MD](#)
- [Why elimination should be the default strategy for future severe pandemics, Michael Baker, MBChB](#)
- [Understanding and Reducing the Spread of Respiratory Pathogens Through The Air, Lidia Morawska, PhD](#)
- [Unusual re-emergence of respiratory pathogens after lifting of COVID-19 restrictions in Singapore, Matthias Maiwald, MD](#)
- [Bird Flu, the risks and prevention of a future pandemic, Richard Webby, PhD](#)
- [Chickens, Cows, and Cats: A Barnyard Story about Bird Flu, Cynda Crawford, DVM, PhD](#)
- [H5 Influenza As It Moves Through North American Food Animals, Carol Cardona, DVM, PhD](#)

5. Active Continuing Education Courses

6. Combating Misinformation

7. Op-eds Regarding COVID-19 and Children

8. 2023 & 2024 Conference Presentations



FDA's ridiculous claims about COVID vaccines hurt KY kids

"Banning children from riding in cars is of course ridiculous, but there's more data to support this contention than there is to support not vaccinating children from COVID-19...In actuality, what Vinay Prasad (FDA Vaccine Chief) did accomplish is to document the extraordinarily high degree of safety of childhood COVID-19 vaccinations...Unfortunately, the lack of critical thinking with COVID-19 vaccine recommendations is also being displayed with other vaccines that are more effective and have a longer history of established safety...Take for example the hepatitis B vaccine given at birth, which is extremely safe and has decades of long-term safety data. This vaccine has just lost its recommendation to be administered at birth. We need to remember that a vaccination delayed exposes the child to an unnecessary risk of contracting a severe illness; and a vaccination delayed may also become a vaccination missed." Courier Journal. <https://www.courier-journal.com/story/opinion/contributors/2025/12/31/fda-covid-vaccine-cdc-trump-kentucky-kids/87945421007/>

USA Today: <https://www.usatoday.com/story/opinion/contributors/2025/12/31/fda-covid-vaccine-cdc-trump-kentucky-kids/87945421007/>

Comment On: COVID-19 Vaccination Reducing All-Cause Mortality is Plausible and Expected <https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2842305>

Semenzato, et al., observed that there was a 25% lower risk of four-year all-cause mortality in vaccinated compared to unvaccinated individuals. The authors reduced the significance of their findings with discussing the "healthy-vaccine effect". However, the references cited concerned the influenza vaccine and the biases for COVID-19 vaccination are arguably much different. With COVID-19 vaccines, high-risk individuals were encouraged to be vaccinated, and the vaccine was shunned by many low-risk individuals because of misinformation concerning the risks of vaccination.

In addition the observation that COVID-19 vaccinations lower all-cause mortality is not only biologically plausible, but the expected result. COVID-19 causes multi-system disease affecting everything from the CNS and frontal lobes with associated changes in executive function,(1,2) to endocrine abnormalities,(3) immunological dysfunction,(4) and vascular disease with associated long-term increases in stroke and heart disease.(5,6)

Multiple studies have observed that vaccination decreases the incidence of long COVID in both adults(7) and children(8). Thus, the expected result would be that vaccinations results in a significant decrease in all-cause mortality.

According to a Nov. 17, 2025, Research Briefing to the UK House of Commons, rates of disability have continued to climb. In 2023/2024, 12% of children and 24% of working age adults report having a disability(9) and rates appear to be accelerating.(10) We must be open to the possibility that one of the drivers of increasing disability rates is long COVID, and that one of the strategies to mitigate this increase is COVID-19 vaccination.

References:

1. Al-Aly Z. Mounting research shows that COVID-19 leaves its mark on the brain, including significant drops in IQ scores. The Conversation. Feb. 28, 2024. <https://theconversation.com/mounting-research-shows-that-covid-19-leaves-its-mark-on-the-brain-including-significant-drops-in-iq-scores-224216>
2. Dacosta-Aguayo R, Torán-Monserrat P, et al. Multimodal neuroimaging in Long-COVID and its correlates with cognition 1.8 years after SARS-CoV-2 infection. *Front Neurol.* 2024 Sep 13;15:1426881. doi: 10.3389/fneur.2024.1426881.
3. Xie Y, Al-Aly Z. Risks and burdens of incident diabetes in long COVID: a cohort study. *Lancet Diabetes Endocrinol.* 2022 May;10(5):311-321. doi: 10.1016/S2213-8587(22)00044-4.
4. Tsergas N. Why scientists are rethinking the immune effects of SARS-CoV-2. *BMJ.* 2025 Aug 19;390:r1733. doi: 10.1136/bmj.r1733.
5. First wave of COVID-19 increased risk of heart attack, stroke up to three years later. October 10, 2024. NIH. <https://www.nih.gov/news-events/news-releases/first-wave-covid-19-increased-risk-heart-attack-stroke-three-years-later>
6. Xie Y, Xu E, Bowe B, Al-Aly Z. Long-term cardiovascular outcomes of COVID-19. *Nat Med.* 2022 Mar;28(3):583-590. doi: 10.1038/s41591-022-01689-3. Epub 2022 Feb 7.
7. Marra AR, Kobayashi T, Callado GY, et al. The effectiveness of COVID-19 vaccine in the prevention of post-COVID conditions. *Antimicrob Steward Healthc Epidemiol.* 2023 Oct 13;3(1):e168. doi: 10.1017/ash.2023.447.
8. Razzaghi H, Forrest CB, et al. Vaccine Effectiveness Against Long COVID in Children. *Pediatrics.* 2024 Apr 1;153(4):e2023064446. doi: 10.1542/peds.2023-064446.
9. UK disability statistics: Prevalence and life experiences. UK Parliament House of Commons Library. Nov. 25, 2025. <https://commonslibrary.parliament.uk/research-briefings/cbp-9602/>
10. Share of disability in the United Kingdom (UK) in 2023/24, by age and gender. Statista. Nov. 29, 2025. <https://www.statista.com/statistics/449258/disability-prevalence-age-gender-united-kingdom-uk/>

Health Watch USAsm Meetings

[Back To
Table of
Contents](#)



Upcoming Meetings.

Meetings: Jan. 21, 2026 at 7 PM ET

Anthony J Leonardi, MBBS, PhD --- Immunodysfunction from COVID-19 – History, Etiology, Presentations, and Prognosis

Space is limited. To attend future meetings, send an email to kavanagh.ent@gmail.com

Health Watch USAsm – Articles of Interest

[Back To
Table of
Contents](#)



It has been over 50 years since I started my medical education and practice. I have never before encountered a sign such as this. An era has ended. God help us all.

U.S. vaccination rates are plunging. Look up where your school stands.

Rocked by pandemic politics, the nation's shield against infectious disease is shrinking.

<https://www.washingtonpost.com/health/interactive/2025/measles-vaccine-schools-outbreaks-public-health/>

Lyme disease did not come from a secret military laboratory

"FDA Commissioner Marty Makary, MD, MPH, claims that Lyme disease came from a military laboratory called "Lab 257 on Plum Island" near Lyme, Connecticut. Of course, HHS Secretary Robert F. Kennedy Jr. said on his podcast in 2024 that Lyme

disease was "highly likely" to have been developed as a military weapon at Plum Island. Unfortunately for the conspiracists, the bacteria that cause Lyme disease have been around for thousands of years, well before this secret laboratory existed. If it ever really existed." <https://www.skepticalraptor.com/skepticalraptorblog.php/lyme-disease-did-not-come-from-a-secret-military-laboratory/>

US set to lose measles elimination status: The 'house is on fire'

"South Carolina this week quarantined at least 254 people after confirming more than two dozen measles cases in the state. It's the latest in what has been the worst year for measles in the U.S. in recent history. An outbreak in West Texas this year saw more than 700 confirmed cases since "January and the deaths of two children. According to the Centers for Disease Control and Prevention (CDC), there have been 47 reported outbreaks in the country this year. "This is a very clear example of the damage that the anti-vaccine movement has done in the United States," said Fiona Havers, adjunct associate professor at the Emory School of Medicine and a former infectious disease staffer at the CDC."

<https://thehill.com/policy/healthcare/5647002-measles-status-outbreaks-kennedy/amp/>

FDA plans to put "black box" warning on COVID vaccines: report

"A boxed warning—the FDA's most serious alert—highlights risks such as death or life-threatening or disabling reactions that must be weighed against a medication's benefits." <https://www.msn.com/en-us/health/other/fda-plans-to-put-black-box-warning-on-covid-vaccines-report/ar-AA1Sdwvr>

CDC's Failure to Recommend COVID-19 Vaccination—"Shared Clinical Decision-Making" Is Abdication of Responsibility

"Guidance from ACIP forms the backbone of US immunization efforts. When evidence is clear that a vaccine's benefits exceed its risks, ACIP has historically issued—and the CDC director has endorsed—an explicit recommendation to vaccinate. A recommendation from CDC is not a vaccine mandate, nor does it keep patients from asking questions about vaccines or declining vaccination; all vaccines are given only after informed consent. A recommendation is a statement, based on evidence, that for individuals in the designated group, vaccination's benefits exceed the risks and will reduce the risk of serious illness."

<https://jamanetwork.com/journals/jama/fullarticle/2841538>

The following article is of high concern. It appears we may be funding another Tuskegee experiment. This time withholding Hep-B vaccine to African Children. Needless to say, there is no clinical equipoise and ethics of this trial are highly questionable.

Regarding Hepatitis B Vaccine: Notice of Award of a Single Source Unsolicited Grant to Fund University of Southern Denmark (SDU)

"The award will support a comparable study of the optimal timing and delivery of monovalent Hepatitis B vaccinations on newborns in Guinea-Bissau. Activities will include conducting a randomized controlled trial to assess the effects of neonatal Hepatitis B vaccination on early-life mortality, morbidity, and long-term developmental outcomes. The award is in response to an unsolicited proposal" <https://public-inspection.federalregister.gov/2025-23245.pdf>

mRNA COVID vaccines tied to drop in death rate for 4 years

"A large national cohort study from France didn't observe any increase in all-cause mortality in adults up to four years after receipt of a COVID mRNA vaccine, and vaccination was linked to a 74% lower risk of death from severe COVID-19 and a 25% lower risk of death from any cause." <https://www.cidrap.umn.edu/covid-19/mrna-covid-vaccines-tied-drop-death-rate-4-years>

<https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2842305>

CDC study says COVID shots continue to protect healthy kids from severe illness

"From late August 2024 to early September 2025, the vaccines reduced the risk of Covid-related emergency room and urgent care visits by 76% among children ages 9 months to 4 years, and by 56% among children ages

5-17, according to the study." <https://www.msn.com/en-us/health/other/cdc-study-says-covid-shots-continue-to-protect-healthy-kids-from-severe-illness/ar-AA1SaTgZ>

Persistent Attenuation of Lymphocyte Subsets After Mass SARS-CoV-2 Infection

- SARS-CoV-2 causes lasting immune dysregulation for over 20 months.
- The impact of SARS-CoV-2 on lymphocytes was especially severe in patients with CVD.
- Lymphocyte deficiency is related to long COVID pathogenesis.

<https://www.sciencedirect.com/science/article/pii/S1201971225005090>

**Back To
Table of
Contents**

Health Watch USAsm – Webinar Presentations



The Statement: "More high-quality RCTs are needed.. is true,
<https://www.sensible-med.com/p/the-cochrane-mask-fiasco>
- Vinay Prasad,

1. But to be high quality a Randomized Controlled Trials must be double-blinded or significant biases can occur.
2. And with public health, RCT often cannot be ethically performed. Take for example the effectiveness of parachutes; which was the subject of the famous BMJ article regarding ethical implications of RCTs.

Smith GC, Pell JP. Parachute use to prevent death and major trauma related to gravitational challenge: systematic review of randomised controlled trials. *BMJ*. 2003 Dec 20;327(7429):1459-61. doi: 10.1136/bmj.327.7429.1459. <https://www.bmjjournals.org/content/327/7429/1459.long>

2025 Webinar Introduction & Science Behind

Masking: Dr. Kevin Kavanagh, Board Chairman of Health Watch USAsm gives the webinar introduction and discusses misinformation and disinformation regarding masking. Similar barriers found with adopting face masks can also be found with other public health strategies. Exposure dosage to an airborne pathogen is important in reducing the risks of transmission, which underscores the importance of masking and improving indoor air ventilation and quality. Health Watch USAsm Webinar. Aug. 29, 2025. [View Video](#) [View Slides](#)

Associated Infection Control Today Article: How Misinformation Tries to Debunk the Science Behind Masking

<https://www.infectioncontroltoday.com/view/how-misinformation-tries-discredit-science-behind-masking>

Key Points from Webinar Introduction

- The webinar marks the 20th anniversary of Healthwatch USA, focusing on infectious disease challenges and progress.
- Topics addressed include vaccinations, worker safety, elimination strategies, bird flu, phages as treatment for antibiotic resistance, and public health misinformation.
- Misinformation and disinformation have significant impacts on public health efforts, sometimes leading to violence and the enactment of ineffective policies.
- Recent CDC events include armed attacks, layoffs, leadership changes, & being asked to endorse controversial policies.
- Exposure dosage is important in reducing the risks of transmission. Which underscores the importance of masking and improving indoor air ventilation and quality.
- Masking as a public health strategy faces difficulties in compliance and study design, impacting trial results.
- Evidence suggests that mask effectiveness depends on correct and consistent use, type of mask, and exposure time.
- A layered approach—using multiple strategies simultaneously—is essential for effective infection control.
- Randomized controlled trials for masking are challenging due to ethical and practical considerations.
- Large studies and reviews show that masks, especially N95 respirators, reduce transmission of respiratory pathogens.
- Ivermectin trials have failed to show benefit in treating COVID-19, suggesting research should focus elsewhere.
- Improved air quality and ventilation should complement masking, particularly in healthcare settings.
- Short-term use of N95 masks for specific situations remains a recommended public health strategy.

WHAT STARTED THE RUMORS?

1998

The Lancet published a paper by Dr. Andrew Wakefield, a dramatic study that found a connection between autism and vaccines.

Profile: Dr Andrew Wakefield

The suggestion that there is a link between MMR and autism has been one of the biggest health controversies of recent years. But just who is the doctor behind the headlines?

Dr. Andrew Wakefield was the lead author of the controversial study which suggested there may be a link between MMR and autism and bowel disease.

Not based on statistics

No control group

It relied on people's memories

Made vague conclusions that weren't statistically valid

Measles Propagation

2018: Measles cases reported in 20 countries

2019: Measles cases reported in 28 countries

2020: Outbreaks in the US, UK, France, Germany, Italy, Spain, and Mexico

NOVA Q: BACK TO BASIC


Communications and pandemic mitigation strategies—Health Watch USA 2025

William Schaffner, MD discusses that dealing with vaccine hesitancy, such as a patient's reluctance to receive a flu shot, requires more than simply offering facts—it necessitates empathy, validation, and a focus on building trust. When a patient expresses uncertainty about vaccination, the healthcare provider's response should never be surprise or judgment. Instead, it is vital to acknowledge and validate the patient's concerns, maintaining open, supportive dialogue. Asking patients to share their specific worries and responding with understanding helps ease anxiety and fosters a sense of partnership. Providers

are encouraged to normalize healthy behaviors by sharing relatable examples, such as mentioning that they and their families are vaccinated, and highlighting that most people in the community do the same. This approach leverages social norms and comfort to promote positive health actions. Even if a patient remains hesitant, it's important not to argue, but to accept their reluctance and assure them the conversation will continue in the future. Effective communication about vaccines also involves keeping messages clear, fact-based, and accessible. Healthcare professionals should be honest about the benefits and limitations of vaccines, offering reassurance and emphasizing the goal of preventing serious disease. Ultimately, how patients feel during these interactions—respected, understood, and cared for—has a lasting impact. The role of the healthcare provider is not only to impart knowledge but to nourish trust, serving as both teacher and caregiver in the journey toward better health outcomes. Health Watch USAsm Webinar Aug. 29, 2025. View Presentation Video: <https://youtu.be/h45wnmG79xl>

Measles 50 years later

Wilmore Webley, PhD, Professor of Microbiology and Senior Vice Provost for Equity and Inclusion at the University of Massachusetts Amherst. Dr. Webley discusses the research and vaccine history of the measles virus, along with its severe clinical impact. He emphasizes that measles causes not only acute illness but also "immune amnesia," erasing immune memory and leaving survivors vulnerable to other diseases. Due to the virus's extreme contagiousness, a high rate of immunity in the community, greater than 95%, is necessary for herd immunity to take place and to stop the spread of the virus. As the presentation discusses, the benefit of the vaccine greatly outweighs its risks. Unfortunately, misinformation is rampant, and immunization rates are falling. In many areas they are well below the level needed to achieve herd immunity. Much of the misinformation can be traced back to a deeply flawed 1998 study by Andrew Wakefield which was published in the Lancet and later retracted by the Journal. The study was not controlled, suboptimally conducted, and involved only 12-patients. (1) Numerous large studies have not found a relationship between vaccines and autism. In one study, unvaccinated individuals were even found to have a statistically non-significant higher rate. (2,3) It is ironic that hundreds of thousands of patients have been studied to counter the initial 12-patient report. Research dollars could have been spent elsewhere, such as researching other causes of autism. Health Watch USAsm conference, Aug. 29, 2025. View Video of Presentation: <https://youtu.be/AOgySUPnGKK>



(1) Godlee F, Smith J, Marcovitch H. Wakefield's article linking MMR vaccine and autism was fraudulent. *BMJ*. 2011 Jan 5;342:c7452. doi: 10.1136/bmj.c7452. PMID: 21209060. <https://www.bmjjournals.org/doi/10.1136/bmj.c7452>

(2) Hviid A, Hansen JV, Frisch M, Melbye M. Measles, Mumps, Rubella Vaccination and Autism: A Nationwide Cohort Study. *Ann Intern Med*. 2019 Apr 16;170(8):513-520. doi: 10.7326/M18-2101. Epub 2019 Mar 5. PMID: 30831578.

<https://www.acpjournals.org/doi/10.7326/M18-2101>

(3) Data on the MMR Vaccine & Autism | Visualized Health. Mar. 7, 2019. <https://www.clearvuehealth.com/b/autism-mmr-stats/>

A View from the Frontlines: The Current State of Infection Control in U.S. Healthcare Facilities

[Back To Table of Contents](#)



Lisa Baum MA, a lead representative for the New York State Nurses Association, highlighted persistent issues in infection control within healthcare facilities, emphasizing the spread of nosocomial infections including airborne infectious diseases. Despite improvements, infection rates and associated deaths remain high, exacerbated by underreporting and insufficient data—particularly for airborne diseases. Critical contributing factors include understaffing, rapid room turnovers, inadequate cleaning, inadequate ventilation and lack of training on effective use of disinfectants, such as proper dwell time for pathogen elimination. Environmental services staff shortages and overcrowding in

emergency departments further increase transmission risks, with patients sometimes placed in hallways or separated only by curtains. Ventilation is a recurring concern. While negative pressure rooms and advanced local exhaust systems exist; they are not widely implemented. There are inadequate regulation and the regulations that do exist are not adequately enforced.

Personal protective equipment (PPE), though essential, is not the most effective control in the hierarchy, often hampered by supply chain challenges and improper fit. The pandemic revealed deeper systemic flaws, with crisis measures sometimes prioritizing operational needs over safety.

Lisa Baum advocates for layered controls: improved identification and isolation protocols, robust testing, enhanced staffing, better ventilation, and a shift to reusable PPE. She stresses the necessity of regulatory reforms to ensure consistent and effective infection prevention and supports empowering organizations like NIOSH to restore scientific leadership in occupational health. View Presentation Video: <https://youtu.be/1Aa5AhHUOJA>

Bacterial Phages, a New and Old Treatment for Antibiotic Resistant Bacteria

[Back To Table of Contents](#)



Ambassador Deborah Birx, MD, discusses bacteriophages and their potential for treating patients with life-threatening antibiotic-resistant infections.

Bacteriophages, viruses that infect specific bacteria, offer a promising alternative for treating infections caused by antibiotic-resistant bacteria such as *Staphylococcus aureus* and *Pseudomonas aeruginosa*. Unlike broad-spectrum antibiotics, phages are highly selective, targeting only their host bacteria without disrupting the beneficial gut microbiome. Interest in phage therapy is rising as antimicrobial resistance escalates, but regulatory approval is still

pending in countries like the United States due to the challenges of manufacturing, purifying, and validating these biologics.

Clinical development has been slow because producing stable, pure phage preparations requires them to be grown on their host bacteria and thoroughly purified to avoid immune reactions. Most phage treatments in the United States have been used compassionately in critically ill patients, but rigorous placebo-controlled trials are essential for regulatory FDA approval.

Recent trials have investigated phage therapy for difficult cases of bacteremia and pneumonia, often in combination with antibiotics. Results show that phage therapy can reduce relapse rates, shorten hospital stays, and minimize adverse reactions. In a recent trial on patients with severe MRSA infections, including those with endocarditis. The response was 100 percent with the addition of phage without any relapse at one week post stopping antibiotics, as compared to a 25 percent relapse rate in the placebo arm.

The field now aims to prove efficacy through large phase three superiority trials, which could establish phages as a viable standard of care. Ultimately, phage therapy has the potential not only to treat resistant infections but also to lessen antibiotic use, preserve the microbiome, and improve outcomes in patients with serious bacterial diseases. Health Watch USAsm webinar Aug. 29, 2025. View Presentation Video: <https://youtu.be/CQmpXcliJg8>


When exclusion/elimination may be justified

[Back To Table of Contents](#)

Modelling suggests we can expect a 'Covid-19 magnitude' pandemic with an 18–26% chance over the next decade, > 2% likelihood per annum

Risk assessment uses multiple factors for assessing severity and controllability

Sources: Madhav et al 2023. Center for Global Development




Why elimination should be the default strategy for future severe pandemics

In this presentation, Professor Michael Baker, a key figure in New Zealand's COVID-19 response, discusses the country's elimination strategy against the pandemic. A public health physician and epidemiologist at the University of Otago, Baker highlights that a clear strategy is crucial for effective pandemic management. He emphasizes three primary response strategies: mitigation, suppression, and elimination. In March 2020, New Zealand adopted an elimination approach characterized by rapid border closures and stringent public health measures to stamp out infections despite having only 100 reported cases at the time.

Baker details how elimination allowed New Zealand to maintain near zero transmission of COVID-19 for almost two years, thereby affording time to enhance vaccination efforts and improve healthcare responses before widespread infection. This strategy resulted in low cumulative mortality compared to other nations, which generally employed less coordinated

approaches. He notes that the elimination strategy bought time to manage healthcare and maintain community functions, leading to fewer restrictions and economic impacts compared to countries that faced uncontrolled outbreaks.

However, he acknowledges challenges such as public compliance, equity concerns, and the logistics of implementing border controls. As new variants emerged, New Zealand transitioned from elimination to suppression and now operates under a mitigation strategy. Baker concludes that successful pandemic responses rely on evidence-informed strategies and political leadership, advocating for global coordination in health responses and preparedness for future pandemics. In discussion, he notes negative excess mortality in New Zealand during the pandemic, highlighting the role of infectious disease management in reducing overall mortality. Aug. 29, 2025. Health Watch USAsm Webinar: Combating Infectious Disease Challenges. View Video: <https://youtu.be/l7DIJA87sI8>



Understanding and Reducing the Spread of Respiratory Pathogens Through The Air


[Back To Table of Contents](#)

Dr. Lidia Morawska, PhD, an expert in air quality, discussed the science behind infectious respiratory particles, emphasizing the importance of understanding their generation and spread. All respiratory activities, especially louder ones like singing, produce particles that can remain suspended in the air for extended periods, increasing the risk of transmission of viruses such as SARS-CoV-2. Smaller particles, originating deeper in the respiratory tract, tend to carry higher viral loads.

Dr. Morawska highlighted historical resistance to recognizing airborne transmission, noting that scientific consensus and interdisciplinary collaboration were essential in shifting global perspectives, particularly during the COVID-19 pandemic. She cited the need for robust ventilation far beyond merely opening windows, as mechanical ventilation systems significantly reduce infection rates. A study in Italy demonstrated lower COVID-19 cases in classrooms equipped with mechanical ventilation compared to those without.

The presentation underscored the necessity for better building designs focused on indoor air quality and continuous monitoring of ventilation performance. Dr. Morawska advocated for indoor air quality regulations akin to outdoor standards, pointing out that voluntary measures often fall short, especially in schools. Low-cost CO2 sensors offer practical means for individuals and institutions to assess air quality and mitigate risks. Ultimately, Dr. Morawska called for clean indoor air as a public health norm, suggesting that improved air quality regulation would yield benefits comparable to other historical advances in sanitation, with far less investment required. Health Watch USAsm webinar. Aug. 29, 2025. View Presentation Video: <https://youtu.be/MpDChemSBD8>

More about Dr. Morawska: <https://time.com/collection/100-most-influential-people-2021/6095975/lidia-morawska/>




Portable CO2 Monitors: Dr. Lidia Morawska, PhD, explains the usefulness of carrying a portable CO2 monitor when one enters public spaces. (CO2 is a surrogate for clean air. Lower levels are better.) One can use the monitor to determine the safety of indoor air and to help you in deciding whether or not to wear a mask (N95 Respirator). Q & A period moderated by Noel Eldridge, MS, at Health Watch USAsm's 2025 Conference. View Video: https://youtu.be/bmg_G2tEOKU



Mycoplasma pneumoniae – Situation in China 2023

What's behind China's mysterious wave of childhood pneumonia?

Matthias Maiwald, MD
Aug. 29, 2028



Unusual re-emergence of respiratory pathogens after lifting of COVID-19 restrictions in Singapore

[Back To
Table of
Contents](#)

Dr. Matthias Maiwald presented an in-depth analysis of the trends in respiratory pathogens in Singapore following the lifting of Covid-19 restrictions. Using data from 120,000 clinical samples (mainly pediatric) collected between 2019 and mid-2025, he outlined how pandemic containment measures initially caused a dramatic decrease in common respiratory viruses and bacteria, such as influenza, RSV, and *Mycoplasma pneumoniae*.

As restrictions were gradually eased, certain non-enveloped viruses like enterovirus/rhinovirus and adenovirus reappeared first, likely due to their environmental stability at phases of increased social contact. Other pathogens returned in unusual patterns—RSV and influenza A exhibited out-of-season peaks, and *Mycoplasma pneumoniae* resurged after a long absence, concurrent with significant outbreaks in China. The outbreaks in China had notably high rates of macrolide resistance. Some pathogens, such as pertussis, remained nearly absent throughout the observation period.

Dr. Maiwald discussed several hypotheses for these patterns, including immunity debt (reduced exposure leading to greater vulnerability), innate immune system changes, and immune dysregulation after Covid-19 infection. He emphasized that the overall burden of respiratory infections in 2025 is approaching pre-pandemic levels but may still be slightly elevated. The reemergence of pathogens was quite uneven, with some surging above historical norms and affecting different age groups or presenting more severe cases. Health Watch USAsm webinar on Aug. 29, 2025. View Presentation Video: <https://youtu.be/jRwadws31T0>

We have long been warning of the H5 threat



Bird Flu, the risks and prevention of a future pandemic

[Back To
Table of
Contents](#)

Dr. Richard Webby, a virologist at St. Jude's and a leading expert on influenza, presented an overview of the current landscape of H5N1 avian influenza ("bird flu") and its potential threats to human health. He explains that influenza viruses, especially those in wild migratory birds, are highly diverse. Most remain in their natural hosts, but occasionally spillover events infect other animals, including poultry, swine, and sporadically humans—though sustained human-to-human transmission has not been

observed.

Dr. Webby highlights how certain influenza subtypes, like H5N1, have caused concern for decades. The virus first infected humans in Hong Kong in 1997, leading to fatalities but was contained by culling poultry. Since then, H5N1 spread globally through wild birds, leading to outbreaks in domestic animals and, more recently, a significant incursion into the Americas. In 2024, the virus unexpectedly infected US dairy cattle, a species not previously considered at risk, with human cases mostly limited to conjunctivitis in exposed workers. Despite this, the virus hasn't shown key mutations needed for efficient human spread.

Control strategies focus on surveillance, culling in poultry, movement controls in cattle, and, in some countries, vaccination of animals. Human vaccines exist but are rarely deployed. Dr. Webby emphasizes that the economic consequences, particularly for the poultry industry, have been severe, with billions lost, and stresses the importance of ongoing vigilance to prevent a future pandemic. Health Watch USAsm webinar Aug. 29, 2025. View Video: <https://youtu.be/GykR462luJQ>

What cats are at risk for bird flu?

- Cats with outdoor access in locations where H5N1 flu virus is infecting birds and mammals
- Cats living on dairy farms, poultry farms, or with backyard flocks
- Exposure to dairy or poultry farmworkers and their clothing



UF Shelter Medicine UNIVERSITY OF FLORIDA

Chickens, Cows, and Cats: A Barnyard Story about Bird Flu -


Dr. Cynda Crawford, DMV, PhD discusses H5N1 or "Bird Flu" and its impact on domestic cats, poultry and dairy cattle at the 2025 Health Watch USAsm webinar: "Combating Infectious Disease Challenges."

Presentation Summary: The presentation by Dr. Cynda Crawford explores the evolving ecology and impact of highly pathogenic H5N1 avian influenza (bird flu) across the United States. Traditionally, wild waterfowl are the natural hosts of

influenza A viruses, but in recent years, the H5N1 subtype has spread extensively, affecting all 50 U.S. states' poultry, leading to the infection and depopulation of approximately 175 million birds.

Since 2022, H5N1 has spilled over from wild birds into commercial and backyard poultry, then into a wide range of mammals—over 200 terrestrial and marine species, including seals, sea lions, and for the first time, dairy cattle. Dairy cows experience H5N1 as a localized mammary gland infection resulting in mastitis and sudden drops in milk production, with high viral loads detected in milk but generally nonfatal outcomes for the animals. New genotypes have been identified, highlighting frequent viral reassortment.

A notable event occurred in March 2024 when barn cats on a Texas dairy farm died rapidly after consuming raw milk from infected cows, marking the first documented mammal-to-mammal transmission of H5N1 via milk. Cats suffer severe, often fatal neurological disease, and the mortality rate among infected cats is estimated at 50–70%. There is no current evidence of cat-to-cat or cat-to-human transmission. The situation raises public health concerns about cows and cats as potential "mixing vessels" for new, more dangerous H5N1 strains, emphasizing the need for enhanced surveillance, biosecurity, and consideration of vaccines for at-risk animals. Health Watch USAsm webinar. Aug. 29, 2025. View Presentation Video: <https://youtu.be/drV7vSj6LE>



Following H5 Influenza As It Moves Through North American Food Animals

Dr. Carol Cardona discussed the evolution and spread of H5 influenza, focusing on its movement through North American food animals. She noted the initial incursion of goose Guangdong H5 in 2014, leading to widespread outbreaks in commercial poultry, which were controlled through mass depopulation. The virus returned in 2021, this time driven by wild waterfowl as primary reservoirs, with poultry now mostly victims rather than sources of transmission.

Cardona highlighted that stamping out poultry, while effective in halting farm-to-farm spread, does not control the virus in wild birds. Over 170 million birds have been depopulated due to outbreaks, including 150 million from wild bird infections and another 20 million related to bovine infections. H5 has expanded into more than 50 mammalian species and continues to adapt to new hosts, including cattle, goats, alpacas, and bears.

Control options for H5 include stamping out, vaccination (which faces economic and export barriers), and biosecurity, though each has limitations due to the virus's evolving host range. Cardona stressed the lack of surveillance in wild mammals and called for improved prevention strategies. She addressed misconceptions about asymptomatic carriers and pointed to genetic resistance in some animals, although no mechanism is known in chickens. The presentation concluded by emphasizing the unpredictable nature of influenza and the need for adaptable control measures. Health Watch USAsm Webinar Aug. 29, 2025. View Presentation Video: https://youtu.be/SALHVe_aAJ4

Active Continuing Education Courses

[Back To
Table of
Contents](#)



4 CME/CEU Credits

CME- Physicians, PA, NHA, NP
Kentucky Approved Credits 4 Hours: EMS, PT,
Respiratory, Dentistry, and Kentucky Board of
Nursing (4.8 credits Nursing)

COVID-19: Endemic Impact & Responsibility

Four credit hours for Physicians - Category I AMA Credits and four hours of corresponding Kentucky Board Accreditation, Physical Therapy, Respiratory, EMS, & Nursing (4.8 hrs.)

Course Objectives:

- To better diagnose and recognize the multiple presentations of Long COVID, including behavioral health implications.
- To be able discuss with patients the importance of preventing COVID-19 and other respiratory diseases.
- To combat patient misinformation regarding vaccines and the risks of COVID and Long COVID.
- To identify and reschedule patients who missed disease screenings during the pandemic.
- To discuss how COVID-19 is spread through the air by a continuum of particle sizes.
- To discuss with office staff and other health care professionals strategies to prevent the spread of respiratory pathogens including use of N95 masks and improvement in indoor ventilation.
- To better discuss with patients the benefits and need for vaccinations.

Link to Course (Southern Kentucky AHEC) <https://sokyahec.thinkific.com/courses/COVID-enduring>

Download Brochure: https://www.healthconference.org/healthconference.org-files/2024Conference_downloads/20240901-HWUSA_Brochure-AHEC.pdf

Health Watch USA's 2026 Public Health Continuing Medical Education

International speakers from New Zealand, Australia & Singapore.

Course Objectives:

1. Discuss the dangers imposed by four infectious pathogens, SARS-CoV-2, measles, H5N1, and antibiotic-resistant bacteria.
2. Identify preventative strategies to prevent the spread of airborne pathogens.
3. To better educate patients regarding misinformation surrounding vaccinations, in order to reduce patient infections and promote public safety.
4. Identify the role of bacteriophages in treating antibiotic resistant bacteria.

The course is currently available at <https://healthconference.org> and [Combating Infectious Disease Course - Health Watch USA](#)

This activity has been planned and implemented in accordance with the accreditation requirements and policies of the Accreditation Council for Continuing Medical Education (ACCME) through the Joint Providership of the Kentucky Medical Association and Healthwatch USA. The Kentucky Medical Association is accredited by the ACCME to provide continuing medical education for physicians. The Kentucky Medical Association designates this enduring material activity for 4.5 AMA PRA Category 1 credits.™ Physicians should claim only the credit commensurate with the extent of their participation in the activity.

We're constantly told to choose products with

**"none of the bad stuff,
only the good stuff."**

But here's the problem: preservatives—often labeled as "bad chemicals"—actually keep the real bad stuff out. They prevent dangerous bacteria and fungi from growing in our vaccines, cosmetics, and food.

When we remove preservatives to make products seem "cleaner," we're not eliminating risk, we're creating it. If people really wanted to avoid harmful substances, they'd want the preservatives that stop contamination and infection. Sometimes the "artificial" ingredient is exactly what protects us from genuine danger.

THE UNBIASED SCIENCE PODCAST



[Back To Table of Contents](#)

Health Watch USAsm – Combating Misinformation

We have posted a number of COVID-19 resources regarding common areas of misinformation.

These include:

- The Dangers of Long COVID and COVID-19 in Children: [Download Resource](#)
- COVID-19 Vaccine Prevention of Long COVID: [Download Resource](#)
- COVID-19 Vaccine's Effectiveness & Risks: [Download Resource](#)
- The ineffectiveness of Hydroxychloroquine & Ivermectin in the treatment of COVID-19: [Download Resource](#)

Health Watch USA Op-eds Regarding COVID-19 & Children

- COVID is still a problem, and we need to do more to stop it | Opinion. Lexington Herald Leader. Nov. 1, 2024. <https://www.kentucky.com/opinion/op-ed/article294875999.html#storylink=cpy>
- COVID is closing Kentucky schools – again. Embracing disinformation paralyzes our response. Sept. 6, 2023. USA Today. <https://www.usatoday.com/story/opinion/2023/09/06/kentucky-school-districts-close-covid-upgrade-buildings-ventilation/70765140007/>
- 70% of COVID-19 Cases Transmitted By Children. Infection Control Today. June 5, 2023. <https://www.infectioncontrolltoday.com/view/70-covid-19-cases-transmitted-by-children>
- FDA's ridiculous claims about COVID vaccines hurt KY kids. Courier journal. Dec. 31, 2025. <https://www.usatoday.com/story/opinion/contributors/2025/12/31/fda-covid-vaccine-cdc-trump-kentucky-kids/87945421007/>

Health Watch USAsm – 2023 & 2024 Conference Presentations

COVID-19: Endemic Impact & Responsibility

[Back To Table of Contents](#)

Link to 2024 Presentation Videos:

[COVID-19: Endemic Impact & Responsibility Sept. 1, 2024](#)

Link to 2023 Presentation Videos:

[Long COVID's Impact on Patients, Workers & Society](#)

Download & View 2023 Conference Proceedings: Kavanagh KT, Cormier LE, Pontus C, Bergman A, Webley W. Long COVID's Impact on Patients, Workers & Society. Medicine. Published Mar. 22, 2024. <https://journals.lww.com/md>

journal/fulltext/2024/03220/long_covid_s_impact_on_patients_workers_.50.aspx

Download 2023 Brochure: https://www.healthwatchusa.org/conference2023/healthconference.org-files/2023Conference_downloads/20231101-HWUSA_Brochure-5.pdf

=====

To subscribe or unsubscribe to Health Watch USAsm

Send an email to kavanagh.ent@gmail.com

Visit and "Like" Health Watch USAsm Facebook Page at:

<https://www.facebook.com/HealthWatchUsa>

